

Specifications

Load Capacity	5500 lbs.
Fork Length	48"
Overall Fork Widths	20.5"/ 27"
Lowered Fork Height	2.9"
Raised Fork Height	7.8"
Fork Width	6.5"
Weight	170 lbs.
Steer Wheels	7"
Load Rollers	2.9" x 3.6"
Wheels/Rollers	Polyurethane



Description

The **CJ55Q Quick Lift Pallet Jack** is the ideal truck for light load lifting and fast paced applications. When lifting loads under 650 lbs. it requires only 5 strokes to reach maximum height. And for loads over 650 lbs. the special hydraulic system automatically switches to a normal operating mode of 10 strokes to reach maximum height.

Standard Features

Frame

- Rugged Heavy Duty Frame constructed of one-piece formed channel steel offering light weight strength.

Forks

- Reinforced for added strength with tapered ends for easy pallet entry.

Paint

- The CJ55Q boasts a quality Powder Coat finish.

Hydraulic Pump

- Quality design complete with a special lowering valve allowing controlled rate of descent, and an overload bypass valve.

Handle

- Featuring a reinforced base, the spring-a-matic handle returns to the upright position automatically.

Control Handle

- The control handle has three positions (raise/neutral/lower) fingertip control. Ergonomically designed and free of pinch points.

Pivot Points

- The CJ55Q features grease fittings and bushings at all pivot points for easy maintenance.

Load Rollers

- Features 2.9" polyurethane rollers with sealed bearings.

Pump Stroke

- Features a full 90 degree top to bottom stroke requires only 5 strokes to raise the forks to the maximum lift for loads under 650 lbs. and 10 strokes for loads over 650 lbs.

Steering

- Featuring 200 degree pivot action for greater maneuverability with 7" polyurethane wheels, sealed bearings and "Ball-Thrust" steering.

Push Rods

- The adjustable push rods allow for individual adjustment capability of either fork height.

Hangers

- The one piece hangers are constructed of Iron Cast for greater strength and longevity.

Helper Rollers

- Features 4 helper rollers for easy exit and entry of pallets.

Options

- Automotive Brake Attachment
- Tandem Wheels